



**CHEMICAL CONTROL OF SUBSTANCES HAZARDOUS TO HEALTH COSHH ASSESSMENT**

**COSHH REF: CA068**

Product Name	Altroclean 44 Floor Cleaner	Manufacturer and Contact Details	Altro Floors, Works Rd, Letchworth, Herts, SG6 1NW
Site / Area of Use	Various sites Client premises	Main Use	Floor Cleaning

Assessor	Date review complete	Date of Review
Reviewed by: Joanna Goode	April 2023	Next Review April 2024
Reviewed by: Joanna Goode	April 2024	Next Review April 2025
Reviewed by: Joanna Goode	April 2025	Next Review April 2026

Note: This assessment should be completed with reference to the product data sheet if one is available. A copy of the assessment should be kept with an up to date copy of the product data sheet.

Form	Liquid	Vapour	Gas	Solid	Dust	Mist	Aerosol	Powder	Other:
------	--------	--------	-----	-------	------	------	---------	--------	--------

Chemical Classifications:

Danger	Irritant – serious eye irritation	Toxic	Highly/Extremely Toxic	Corrosive	Contains a sensitizer	Other: Eye Damage
Flammable	Highly/ extremely flammable	Explosive	Warning	Contains a possible Carcinogen /Mutagen	Biological agent (Bacteria/Mold Virus)	Not classified as hazardous

Main Route of Entry

Inhalation	Ingestion	Absorption – splashes onto the skin	Injection	Other: Splashes to the eye
------------	-----------	-------------------------------------	-----------	----------------------------

2015 Safety Data Sheet available? Yes

How is the chemical used or applied? Applied to floor with mop

What other substances are mixed with this chemical? None

How could exposure occur? During dilution (splashes) or application

Does the substance or any of its constituent parts have a WEL? No

Where does exposure take place? Inhalation when sprayed, splashes into eyes

Indoors - well ventilated area	Indoors - poorly ventilated area	Outdoors	Other
--------------------------------	----------------------------------	----------	-------

Who is at risk?



# QUALITY CARE CLEANING LTD

## COMMERCIAL CLEANING SERVICES

Employees	Contractors	Visitors	Others : (Please state) Young people / Pregnant workers
-----------	-------------	----------	------------------------------------------------------------

Time exposed per day / week? Limited use

Detail of any Personal Protective Equipment currently used: Gloves, Goggles

Is it possible to eliminate the use of the substance or exposure? No

Is it possible to substitute or use a lower risk substance? No





**First Aid:**

Skin contact: Wash immediately with plenty of soap and water. Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water. Inhalation: Consult a doctor. Arrangements for dealing with spillage / emergencies:

Absorb into dry earth or sand. Do not discharge into drains or rivers. Contain spillage using bunding.

What current controls are in place to reduce the risk of injury?

Training	General Ventilation	Local Exhaust Ventilation	Induction Training	Warning Signs
Safe Storage	Safe System of work (SOP)	Enclosed area	Health Surveillance	Supervision
	Return Waste to Depot	Handwashing facilities	Disposal Hazardous Waste	Disposal General Waste
PPE				
Other: (please give details)				

Is exposure adequately controlled?	Yes	No
------------------------------------	-----	----

ASSESSMENT (tick relevant box)	Satisfactory (Low)	Minor modification required (Medium)	Major modification required (High)
--------------------------------	--------------------	--------------------------------------	------------------------------------

**REMEDIAL ACTION PLAN**

Consider the use, storage, disposal, first aid and emergency procedures required.	Target date for implementation	Tick when completed



QUALITY CARE CLEANING LTD  
COMMERCIAL CLEANING SERVICES