



**CHEMICAL CONTROL OF SUBSTANCES HAZARDOUS TO HEALTH
COSHH ASSESSMENT**

COSHH REF: CA087

Product Name	Suma Bac Smart Dose D10	Manufacturer and Contact Details	Diversey Ltd Weston Favell Centre, Northampton NN3 8PD, United Kingdom Tel: 01604 405311
Site / Area of Use	Quality Care Cleaning Multiple Sites	Main Use	Clean and disinfect hard surfaces

Assessor	Date review completed	Date of Review
Reviewed By: Joanna Goode	April 2023	Next Review April 2024
Reviewed By: Joanna Goode	April 2024	Next Review April 2025
Reviewed By: Joanna Goode	April 2025	Next Review April 2026

Note: This assessment should be completed with reference to the product data sheet if one is available. A copy of the assessment should be kept with an up to date copy of the product data sheet.

Form	Liquid	Vapour	Gas	Solid	Dust	Mist	Aerosol	Powder	Other:
------	--------	--------	-----	-------	------	------	---------	--------	--------

Chemical Classifications:

Danger	Irritant	Toxic	Highly/Extremely Toxic	Corrosive to metals	Contains a sensitizer	Danger, skin irritation, serious eye damage
Flammable	Highly/extremely flammable	Explosive	Warning	Contains a possible Carcinogen /Mutagen	Biological agent (Bacteria/Mould/Virus)	Not Classified as hazardous

Main Route of Entry

Inhalation	Ingestion	Absorption – splashes onto the skin.	Injection	Other: Splashes to eye
------------	-----------	--------------------------------------	-----------	------------------------

2015 Safety Data Sheet available? No (2014 version but bears new CLP

pictograms) How is the chemical used or applied? Applied directly to hard surfaces

What other substances are mixed with this chemical?



None How could exposure occur? Splashes to skin and eyes

Does the substance or any of its constituent parts have a WEL? No Where does exposure take place?

Indoors - well ventilated area	Indoors - poorly ventilated area	Outdoors	Other
--------------------------------	----------------------------------	----------	-------

Who is at risk?

Employees Approx. No	Contractors	Visitors	Others : (Please state) Young people / Pregnant workers
-------------------------	-------------	----------	--

Time exposed per day / week? 30 minute sessions, weekly

Detail of any Personal Protective Equipment currently used: Goggles (EN166) and gloves (EN374) Chemical resistant

Is it possible to eliminate the use of the substance or exposure? No Is it possible to substitute or use a lower risk substance? No

First Aid measures





Inhalation Get medical attention or advice if you feel unwell.

Skin contact: Wash skin with plenty of lukewarm, gently flowing water. Take off immediately all contaminated clothing and wash it before re-use. If skin irritation occurs: Get medical advice or attention. Eye contact: Immediately rinse eyes cautiously with lukewarm water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.

Ingestion: Rinse mouth. Immediately drink 1 glass of water. Get medical attention or advice if you feel unwell.

Arrangements for dealing with spillage / emergencies: Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).

What current controls are in place to reduce the risk of injury?

Training	Local Exhaust Ventilation	General Ventilation	Induction Training	Warning Signs
Safe Storage	Safe System of work (SOP)	Enclosed area	Health Surveillance	Supervision
		Disposal Hazardous Waste	Disposal General waste	Handwashing facilities
PPE				



Other: (please give details)	
------------------------------	--

Is exposure adequately controlled?	Yes	No
------------------------------------	-----	----

ASSESSMENT (tick relevant box)	Satisfactory (Low)	Minor modification required (Medium)	Major modification required (High)
--------------------------------	--------------------	--------------------------------------	------------------------------------

REMEDIAL ACTION PLAN

Consider the use, storage, disposal, first aid and emergency procedures required.	Target date for implementation	Tick when completed
---	--------------------------------	---------------------



QUALITY CARE CLEANING LTD
COMMERCIAL CLEANING SERVICES