



**CHEMICAL CONTROL OF SUBSTANCES HAZARDOUS TO HEALTH
COSH ASSESSMENT**

COSHH REF: CA193

Product Name	Ramsol Sanitiser Disinfectant Spray 22ltr canister	Manufacturer and Contact Details	Industrial Adhesive Solutions LTD 10 Crystal Drive Sandwell Business Park B66 1QG +44 (0)121 556 9900 enquiry@indasol.co.uk
Site / Area of Use	Various sites Client premises	Main Use	Spray sanitizer for surface disinfection

Assessor	Date Review completed	Date of Review
Reviewed by: Joanna Goode	April 2023	Next Review April 2024
Reviewed by: Joanna Goode	April 2024	Next Review April 2025
Reviewed by: Joanna Goode	April 2025	Next Review April 2026

Note: This assessment should be completed with reference to the product data sheet if one is available. A copy of the assessment should be kept with an up to date copy of the product data sheet.

Form	Liquid	Vapour	Gas	Solid	Dust	Mist	Aerosol	Powder	Other:
------	--------	--------	-----	-------	------	------	---------	--------	--------

Chemical Classifications:

Danger	Irritant – serious eye irritation	Toxic	Highly/Extremely Toxic	Corrosive	Contains a sensitizer	Other: Pressurised Gas
Flammable	Highly/ extremely flammable	Explosive	Warning	Contains a possible Carcinogen /Mutagen	Biological agent (Bacteria/Mold Virus)	Not classified as hazardous

Main Route of Entry

Inhalation	Ingestion	Absorption – splashes onto the skin	Injection	Other: Splashes to the eye
------------	-----------	-------------------------------------	-----------	----------------------------

2015 Safety Data Sheet available? Yes

How is the chemical used or applied? Sprayed directly to area to be sanitised
Form Issue 01 Issue Date Authorised by C Losh



What other substances are mixed with this chemical? None

How could exposure occur? During use

Does the substance or any of its constituent parts have a WEL? Yes – See MSDS

Where does exposure take place? Inhalation when sprayed, splashes into eyes

Indoors - well ventilated area	Indoors - poorly ventilated area	Outdoors	Other
--------------------------------	----------------------------------	----------	-------

Who is at risk?

Employees	Contractors	Visitors	Others : (Please state) Young people / Pregnant workers
-----------	-------------	----------	--

Time exposed per day / week? Ad-Hoc as required

Detail of any Personal Protective Equipment currently used: Gloves,

Goggles

Is it possible to eliminate the use of the substance or exposure? No

Is it possible to substitute or use a lower risk substance? No

First Aid:

First-aid measures general : Get medical advice/attention if you feel unwell. First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. First-aid measures after skin contact : Wash with plenty of soap and water. Rinse for at least 15 minutes. First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present, get medical attention. and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. First-aid measures after ingestion : Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention. Who is at risk? Employees Approx. No Contractors Visitors Others : (Please state) Young people / Pregnant workers Time exposed per day / week? Ad-hoc as required Detail of any Personal Protective Equipment currently used: Gloves & goggles Is it possible to eliminate the use of the substance or exposure? No Is it possible to substitute or use a lower risk substance? No First Aid measures Arrangements for dealing with spillage / emergencies: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Large Spillages: Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).

What current controls are in place to reduce the risk of injury?

Training	General Ventilation	Local Exhaust Ventilation	Induction Training	Warning Signs
Safe Storage	Safe System of work (SOP)	Enclosed area	Health Surveillance	Supervision
	Return Waste to	Handwashing facilities	Disposal Hazardous	Disposal General Waste, recycle container when



QUALITY CARE CLEANING LTD

COMMERCIAL CLEANING SERVICES

	Depot		Waste	empty
PPE				
Other: (please give details)				

Is exposure adequately controlled?	Yes	No
------------------------------------	-----	----

ASSESSMENT (tick relevant box)	Satisfactory (Low)	Minor modification required (Medium)	Major modification required (High)
-----------------------------------	--------------------	--------------------------------------	------------------------------------

REMEDIAL ACTION PLAN

Consider the use, storage, disposal, first aid and emergency procedures required.	Target date for implementation	Tick when completed



QUALITY CARE CLEANING LTD
COMMERCIAL CLEANING SERVICES