



**CHEMICAL CONTROL OF SUBSTANCES HAZARDOUS TO HEALTH  
COSHH ASSESSMENT**

COSHH REF: CA554

<b>Product Name</b>	Milton sterilising fluid	<b>Manufacturer and Contact Details</b>	Milton international, 9 Rue marcel Semat, 44100, Nantes, France TEL: +33549681515
<b>Site / Area of Use</b>	Client sites –	<b>Main Use</b>	Sanitise and remove staining from crockery, toilet bowls, sinks

Assessor	Date	Date of Review
Joanna Goode	April 2024	April 2025
Joanna Goode	April 2025	April 2026

Note: This assessment should be completed with reference to the product data sheet if one is available. A copy of the assessment should be kept with an up-to-date copy of the product data sheet.

<b>Form</b>	Liquid	Vapour	Gas	Solid	Dust	Mist	Aerosol	Powder	Other:
-------------	--------	--------	-----	-------	------	------	---------	--------	--------

**Chemical Classifications:**

Hazardous to aquatic environment	Irritant	Toxic (Could liberate toxic gas on contact with acids)	Highly/Extremely Toxic	Corrosive to metals	Contains a sensitizer	Absorbs through Skin
Flammable	Highly/extremely flammable	Explosive	Warning	Contains a possible Carcinogen/Mutagen	Biological	No classification

**Main Route of Entry**

Inhalation	Ingestion	Absorption – splashes onto the skin.	Injection	Other: Splashes to eye
------------	-----------	--------------------------------------	-----------	------------------------

**Recent Safety Data Sheet available?**

Yes

**How is the chemical used or applied?**

Dispensed directly from bottle to surface

**What other substances are mixed with this chemical?**

None DO NOT MIX WITH ACIDS, WILL RELEASE TOXIC GAS (CHLORINE)

**How could exposure occur?**

Splashes to eyes, contact with skin

**Does the substance or any of its constituent parts have a WEL?**

NO



**Where does exposure take place?**

Indoors - well ventilated area	Indoors - poorly ventilated area	Outdoors	Other
--------------------------------	----------------------------------	----------	-------

**Who is at risk?**

Employees Approx. No	Contractors	Visitors	Others: (Please state) Young people / Pregnant workers
-------------------------	-------------	----------	---

**Time exposed per day / week?** Once monthly, 15 minutes

**Detail of any Personal Protective Equipment currently used:** Gloves, safety goggles

**Is it possible to eliminate the use of the substance or exposure?** No

**Is it possible to substitute or use a lower risk substance?** No

**First Aid measures**

**Inhalation:** In the event of massive inhalation, remove exposed person to fresh air, keep warm and at rest.





**Splashes to / contact with eyes:** Wash thoroughly with soft clean water, holding eye lids open. If there is any redness, pain or discomfort, consult a doctor.

**Contact with skin:** Wash with soapy water and remove contaminated clothing. Be aware of remaining product trapped in between skin and jewellery / watches

**In event of swallowing: If no more than one mouthful swallowed,** Rinse mouth and then drink plenty of water. Do not induce vomiting. If more than one mouthful, Seek medical assistance immediately.

**Arrangements for dealing with spillage / emergencies:** None

**What current controls are in place to reduce the risk of injury? Do not swallow.**

<b>Training</b>	<b>Local Exhaust Ventilation</b>	<b>General Ventilation</b>	<b>Induction Training</b>	<b>Warning Signs</b>
<b>Safe Storage</b>	<b>Safe System of work (SOP)</b>	<b>Enclosed area</b>	<b>Health Surveillance</b>	<b>Supervision</b>
		<b>Disposal Hazardous Waste</b>	<b>Disposal General waste</b>	<b>Handwashing facilities</b>
PPE				
Other: (please give details)				

Is exposure adequately controlled?	Yes	No
------------------------------------	-----	----

<b>ASSESSMENT</b> (tick relevant box)	Satisfactory (Low)	Minor modification required (Medium)	Major modification required (High)
--	-----------------------	---	------------------------------------

**REMEDIAL ACTION PLAN**

<b>Consider the use, storage, disposal, first aid and emergency procedures required.</b>	Target date for implementation	Tick when completed