



**CHEMICAL CONTROL OF SUBSTANCES HAZARDOUS TO HEALTH
COSHH ASSESSMENT**

COSHH REF: CA0199

Product Name	Sure Descaler	Manufacturer and Contact Details	Diversey Ltd Weston Farvell Centre Northampton NN3 8PD 01604 405311 Customerservice.uk@sealedair.com
Site / Area of Use	Client premises Multiple Sites	Main Use	Kitchen cleaner, descaling agent

Assessor	Date review completed	Date of Review
Joanna Goode	April 2024	April 2025
Joanna Goode	April 2025	April 2026
JG	March 2026	April 2027

Note: This assessment should be completed with reference to the product data sheet if one is available. A copy of the assessment should be kept with an up to date copy of the product data sheet.

Form	Liquid	Vapour	Gas	Solid	Dust	Mist	Aerosol	Powder	Other:
-------------	---------------	--------	-----	-------	------	------	---------	--------	--------

Chemical Classifications:

Harmful	Irritant	Toxic	Highly/Extremely Toxic	Corrosive	Contains a sensitizer	Absorbs through Skin
Flammable	Highly/extremely flammable	Explosive	Warning	Contains a possible Carcinogen /Mutagen	Biological	No classification

Main Route of Entry

Inhalation	Ingestion	Absorption – splashes onto the skin.	Injection	Other: Splashes to eye
-------------------	------------------	---	-----------	------------------------

Recent Safety Data Sheet available?

Yes

How is the chemical used or applied?

Manual process, Spray and wipe process, dipping process

What other substances are mixed with this chemical?

None

How could exposure occur?

During use



Does the substance or any of its constituent parts have a WEL?

None specified

Where does exposure take place?

Indoors - well ventilated area	Indoors - poorly ventilated area	Outdoors	Other
--------------------------------	----------------------------------	----------	-------

Who is at risk?

Employees Approx. No	Contractors	Visitors	Others : (Please state) Young people / Pregnant workers
-------------------------	-------------	----------	--

Time exposed per day / week? 5 mins/daily

Detail of any Personal Protective Equipment currently used: Gloves, goggles

Is it possible to eliminate the use of the substance or exposure? No





Is it possible to substitute or use a lower risk substance? No

First Aid measures

Wash skin with plenty of lukewarm water, gently flowing water. Hold eyelids apart and flush eyes with plenty lukewarm water for at least 15 minutes Immediately drink 1 glass of water. Get medical attention if you feel unwell

Arrangements for dealing with spillage / emergencies:

What current controls are in place to reduce the risk of injury?

Training	Local Exhaust Ventilation	General Ventilation	Induction Training	Warning Signs
Safe Storage	Safe System of work (SOP)	Enclosed area	Health Surveillance	Supervision
	Return to waste depot	Disposal Hazardous Waste	Disposal General waste	Handwashing facilities
PPE				
Other: (please give details)				

Is exposure adequately controlled?	Yes	No
------------------------------------	-----	----

ASSESSMENT (tick relevant box)	Satisfactory (Low)	Minor modification required (Medium)	Major modification required (High)
--	-----------------------	---	---------------------------------------

REMEDIAL ACTION PLAN



QUALITY CARE CLEANING LTD
COMMERCIAL CLEANING SERVICES