



**CHEMICAL CONTROL OF SUBSTANCES HAZARDOUS TO HEALTH
COSHH ASSESSMENT**

COSHH REF: CA042

Product Name	Taski Jontec 300 NC Conc F4c	Manufacturer and Contact Details	Diversey Ltd Weston Favell Centre, Northampton NN3 8PD, United Kingdom Tel: 01604 405311, Fax: 01604 406809
Site / Area of Use	Various sites Client premises	Main Use	Manual of semi automatic floor cleaner

Assessor	Date	Date of Review
Reviewed by: Joanna Goode	April 2024	Next Review April 2025
Reviewed by: Joanna Goode	April 2025	Next Review April 2026
Reviewed by: Joanna Goode	March 2026	Next Review April 2027

Note: This assessment should be completed with reference to the product data sheet if one is available. A copy of the assessment should be kept with an up to date copy of the product data sheet.

Form	Liquid	Vapour	Gas	Solid	Dust	Mist	Aerosol	Powder	Other:
------	--------	--------	-----	-------	------	------	---------	--------	--------

Chemical Classifications:

Danger	Irritant	Toxic	Highly/Extremely Toxic	Corrosive	Contains a sensitizer	Other
Flammable	Highly/ extremely flammable	Explosive	Warning	Contains a possible Carcinogen /Mutagen	Biological agent (Bacteria/M ould/Virus)	Not Classified as hazardous

Main Route of Entry

Inhalation	Ingestion	Absorption – splashes onto the skin.	Injection	Other: Splashes to eye
------------	-----------	--	-----------	---------------------------

2015 Safety Data Sheet available? 2018

How is the chemical used or applied? Applied onto hard floor surfaces, either using manual or automatic proces



What other substances are mixed with this chemical? None

How could exposure occur? Splashes to skin and eyes

Does the substance or any of its constituent parts have a WEL? Glutaral – Long Term –

0.05ppm – 0.2mg/m³ Short Term – 0.05ppm – 0.2mg/m³

Where does exposure take place?

Indoors - well ventilated area	Indoors - poorly ventilated area	Outdoors	Other
--------------------------------	----------------------------------	----------	-------

Who is at risk?

Employees	Contractors	Visitors	Others : (Please state) Young people / Pregnant workers
-----------	-------------	----------	--

Time exposed per day / Up to 30 minute sessions

Detail of any Personal Protective Equipment currently used: None

required

Is it possible to eliminate the use of the substance or exposure? No

Is it possible to substitute or use a lower risk substance? No

First Aid Measures: Inhalation Remove from source of exposure. If discomfort persists, obtain medical attention .
Skin contact Not required under normal use. Immediately wash off with plenty of water. If irritation develops get medical attention.
Eye contact Wash off immediately with plenty of water. Get medical attention.
Ingestion Remove material from mouth. Immediately drink 1-2 glasses of water or milk. If large amounts swallowed or symptoms develop, get medical attention.

Arrangements for dealing with spillage / emergencies: Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust)

What current controls are in place to reduce the risk of injury?

Training	Local Exhaust ventilation	General Ventilation	Induction Training	Warning Signs
Safe Storage	Safe System of Work (SOP)	Enclosed Area	Health Surveillance	Supervision
	Return Waste to Depot	Disposal Hazardous Waste		Handwashing Facilities



PPE				
Other: (Please give details)				

Training	Local Exhaust Ventilation	General Ventilation	Induction Training	Warning Signs
Safe Storage	Safe System of work (SOP)	Enclosed area	Health Surveillance	Supervision
	Return Waste to Depot	Disposal Hazardous Waste		Handwashing facilities
PPE				
Other: (please give details)				

Is exposure adequately controlled?	Yes	No
------------------------------------	------------	----

ASSESSMENT (tick relevant box)	Satisfactory (Low)	Minor modification required (Medium)	Major modification required (High)
--------------------------------	---------------------------	--------------------------------------	------------------------------------

REMEDIAL ACTION PLAN

Consider the use, storage, disposal, first aid and emergency procedures required.	Target date for implementation	Tick when completed
Source up-to-date SDS to ensure validity of information	August 2018	Complete



QUALITY CARE CLEANING LTD
COMMERCIAL CLEANING SERVICES