



**CHEMICAL CONTROL OF SUBSTANCES HAZARDOUS TO HEALTH
COSHH ASSESSMENT**

COSHH REF: CA072

Product Name	Decon 90	Manufacturer and Contact Details	Decon Laboratories Limited Conway Street, Hove, East Sussex, BN3 3LY, England
Site / Area of Use	Various sites Client premises	Main Use	Hard Surface decontaminant

Assessor	Date review completed	Date of Review
Reviewed by: Joanna Goode	April 2024	Next Review April 2025
Reviewed by: Joanna Goode	April 2025	Next Review April 2026
Reviewed by: Joanna Goode	March 2026	Next Review April 2027

Note: This assessment should be completed with reference to the product data sheet if one is available. A copy of the assessment should be kept with an up to date copy of the product data sheet.

Form	Liquid	Vapour	Gas	Solid	Dust	Mist	Aerosol	Powder	Other:
------	--------	--------	-----	-------	------	------	---------	--------	--------

Chemical Classifications:

Danger	Irritant – serious eye irritation	Toxic	Highly/Extremely Toxic	Corrosive	Contains a sensitizer	Other: Eye Damage
Flammable	Highly/extremely flammable	Explosive	Warning	Contains a possible Carcinogen /Mutagen	Biological agent (Bacteria/Mold Virus)	Not classified as hazardous

Main Route of Entry

Inhalation	Ingestion	Absorption – splashes onto the skin	Injection	Other: Splashes to the eye
------------	-----------	-------------------------------------	-----------	----------------------------

2015 Safety Data Sheet available? Yes

How is the chemical used or applied? Applied to floor with mop

Form

Issue 01

Issue Date

Authorised by C Losh



What other substances are mixed with this chemical? None

How could exposure occur? During dilution (splashes) or application

Does the substance or any of its constituent parts have a WEL? No

Where does exposure take place? Inhalation when sprayed, splashes into eyes

Indoors - well ventilated area	Indoors - poorly ventilated area	Outdoors	Other
--------------------------------	----------------------------------	----------	-------

Who is at risk?

Employees	Contractors	Visitors	Others : (Please state) Young people / Pregnant workers
-----------	-------------	----------	--

Time exposed per day / week? Limited use

Detail of any Personal Protective Equipment currently used: Gloves,

Goggles





Is it possible to eliminate the use of the substance or exposure? No

Is it possible to substitute or use a lower risk substance? No

First Aid:

In case of contact with eyes, rinse immediately with plenty of clean, flowing water and seek immediate medical attention. In case of contact with skin, rinse immediately with plenty of clean, flowing water. Seek medical attention if there is persistent irritation. If ingested, drink copious amounts of fresh water and seek immediate medical attention. Do not promote vomiting. Arrangements for dealing with spillage / emergencies: Dilute with large amounts of water. Absorb large spillages with sand or any suitable medium

What current controls are in place to reduce the risk of injury?

Training	General Ventilation	Local Exhaust Ventilation	Induction Training	Warning Signs
Safe Storage	Safe System of work (SOP)	Enclosed area	Health Surveillance	Supervision
	Return Waste to Depot	Handwashing facilities	Disposal Hazardous Waste	Disposal General Waste
PPE				
Other: (please give details)				

Is exposure adequately controlled?	Yes	No
------------------------------------	-----	----



ASSESSMENT (tick relevant box)	Satisfactory (Low)	Minor modification required (Medium)	Major modification required (High)
-----------------------------------	--------------------	---	---------------------------------------

REMEDIAL ACTION PLAN

Consider the use, storage, disposal, first aid and emergency procedures required.	Target date for implementation	Tick when completed