



**CHEMICAL CONTROL OF SUBSTANCES HAZARDOUS TO HEALTH
COSHH ASSESSMENT**

COSHH REF: CA142

Product Name	ACT ORIGINAL	Manufacturer and Contact Details	Selden Research Limited Staden Lane, Buxton, Derbyshire, SK17 9RZ, United Kingdom Tel: 01298 26226 Fax: 01298 26540 Email: safety@selden.co. uk
Site / Area of Use	Various sites	Main Use	Toilet Descaler

Assessor	Date review completed	Date of Review
Reviewed by: Joanna Goode	April 2024	Next Review April 2025
Reviewed by: Joanna Goode	April 2025	Next Review April 2026
Reviewed by: Joanna Goode	March 2026	Next Review April 2027

Note: This assessment should be completed with reference to the product data sheet if one is available. A copy of the assessment should be kept with an up to date copy of the product data sheet.

Form	Liquid	Vapour	Gas	Solid	Dust	Mist	Aerosol	Powder	Other:
------	--------	--------	-----	-------	------	------	---------	--------	--------

Chemical Classifications:

Danger	Irritant – eye and skin	Toxic	Highly/Extremely Toxic	Corrosive	Contains a sensitizer	Other
Flammable	Highly/extremely flammable	Explosive	Warning	Contains a possible Carcinogen /Mutagen	Biological agent (Bacteria/Mould/Virus)	Not Classified as hazardous

Main Route of Entry

Inhalation	Ingestion	Absorption – splashes onto the skin or eyes	Injection	Other:
------------	-----------	---	-----------	--------

2015 Safety Data Sheet available? Yes

How is the chemical used or applied? Direct to affected surface from bottle for toilet pans, applied by cloth to other scaled areas

What other substances are mixed with this chemical?



None How could exposure occur? During use

Does the substance or any of its constituent parts have a WEL? No

Where does exposure take place?

Indoors - well ventilated area	Indoors - poorly ventilated area	Outdoors	Other
--------------------------------	----------------------------------	----------	-------

Who is at risk?

Employees Approx. No 1 at a time	Contractors	Visitors	Others : (Please state) Young people / Pregnant workers
-------------------------------------	-------------	----------	--

Time exposed per day / week? Adhoc, only as lime-scale builds

Detail of any Personal Protective Equipment currently used: Gloves, goggles,

overalls Is it possible to eliminate the use of the substance or exposure? No

Is it possible to substitute or use a lower risk substance? No

First Aid measures

Inhalation : Remove person to fresh air and keep comfortable for breathing. Skin contact : Wash with plenty of soap and water.





Eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion : Give nothing or a little water to drink. Get medical advice/attention if you feel unwell

Arrangements for dealing with spillage / emergencies:

Soak up spills with inert solids, such as clay or diatomaceous earth as soon as

possible. What current controls are in place to reduce the risk of injury?

Training	Local Exhaust Ventilation	General Ventilation	Induction Training	Warning Signs
Safe Storage	Safe System of work (SOP)	Enclosed area	Health Surveillance	Supervision
		Disposal Hazardous Waste	Disposal General waste	Handwashing facilities
PPE				
Other: (please give details)				

Is exposure adequately controlled?	Yes	No
------------------------------------	-----	----

ASSESSMENT (tick relevant box)	Satisfactory (Low)	Minor modification required (Medium)	Major modification required (High)
--------------------------------	--------------------	--------------------------------------	------------------------------------



REMEDIAL ACTION PLAN

Consider the use, storage, disposal, first aid and emergency procedures required.	Target date for implementation	Tick when completed



QUALITY CARE CLEANING LTD
COMMERCIAL CLEANING SERVICES