



**CHEMICAL CONTROL OF SUBSTANCES HAZARDOUS TO HEALTH
COSHH ASSESSMENT**

COSHH REF: CA160

Product Name	Finish Dishwasher Tablets All-In-One	Manufacturer and Contact Details	Ecover Co-ordination Centre Steenovenstraat 1A 2390 Malle Belgium Tel: 03 309 2500 Fax: 03 311 7270 sds@ecover.com
Site / Area of Use	Various sites Client premises	Main Use	Water softener

Assessor	Date review completed	Date of Review
Reviewed by: Joanna Goode	April 2024	Next Review April 2025
Reviewed by: Joanna Goode	April 2025	Next Review April 2026
Reviewed by: Joanna Goode	March 2026	Next Review April 2027

Note: This assessment should be completed with reference to the product data sheet if one is available. A copy of the assessment should be kept with an up to date copy of the product data sheet.

Form	Liquid	Vapour	Gas	Solid	Dust	Mist	Aerosol	Powder	Other:
------	--------	--------	-----	-------	------	------	---------	--------	--------

Chemical Classifications:

Danger	Irritant	Toxic	Highly/Extremely Toxic	Corrosive	Contains a sensitizer	Other
Flammable	Highly/extremely flammable	Explosive	Warning	Contains a possible Carcinogen /Mutagen	Biological agent (Bacteria/Mould/Virus)	Not Classified as hazardous

Main Route of Entry

Inhalation	Ingestion	Absorption – splashes onto the skin	Injection	Other: Contact to eye
------------	-----------	-------------------------------------	-----------	-----------------------

2015 Safety Data Sheet available? Yes

How is the chemical used or applied? Solid tablet placed inside machine

What other substances are mixed with this chemical? None

How could exposure occur? During handling (hand to mouth contact)



Does the substance or any of its constituent parts have a WEL? No

Where does exposure take place?

Indoors - well ventilated area	Indoors - poorly ventilated area	Outdoors	Other
--------------------------------	----------------------------------	----------	-------

Who is at risk?

Employees	Contractors	Visitors	Others : (Please state) Young people / Pregnant workers
-----------	-------------	----------	--

Time exposed per day / week? Daily as required – minimal exposure

Detail of any Personal Protective Equipment currently used: Gloves





Is it possible to eliminate the use of the substance or exposure? No

Is it possible to substitute or use a lower risk substance? No

First Aid measures: General advice: If symptoms persist, call a physician. Eye contact: In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Remove contact lenses, if present and easy to do. Continue rinsing. Skin Contact: Remove contaminated clothing and shoes. Wash skin with soap and water. Ingestion: Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Get medical attention. Inhalation: Remove to fresh air.

Arrangements for dealing with spillage / emergencies: Take up mechanically, placing in appropriate containers for disposal.

What current controls are in place to reduce the risk of injury?

Training	Local Exhaust ventilation	General Ventilation	Induction Training	Warning Signs
Safe Storage	Safe System of Work (SOP)	Enclosed Area	Health Surveillance	Supervision
	Return Waste to Depot	Disposal Hazardous Waste	Disposal General Waste	Handwashing Facilities
PPE				
Other: (Please give details)				

Is exposure adequately controlled?	Yes	No
------------------------------------	-----	----

ASSESSMENT (tick relevant box)	Satisfactory (Low)	Minor modification required (Medium)	Major modification required (High)
--------------------------------	--------------------	--------------------------------------	------------------------------------



REMEDIAL ACTION PLAN

Consider the use, storage, disposal, first aid and emergency procedures required.	Target date for implementation	Tick when completed



QUALITY CARE CLEANING LTD
COMMERCIAL CLEANING SERVICES