



**CHEMICAL CONTROL OF SUBSTANCES HAZARDOUS TO HEALTH
COSHH ASSESSMENT**

COSHH REF: CA554

Product Name	Milton sterilising fluid	Manufacturer and Contact Details	Milton international, 9 Rue marcel Semat, 44100, Nantes, France TEL: +33549681515
Site / Area of Use	Client sites –	Main Use	Sanitise and remove staining from crockery, toilet bowls, sinks

Assessor	Date	Date of Review
Joanna Goode	April 2024	April 2025
Joanna Goode	April 2025	April 2026
JG	March 2026	April 2027

Note: This assessment should be completed with reference to the product data sheet if one is available. A copy of the assessment should be kept with an up-to-date copy of the product data sheet.

Form	Liquid	Vapour	Gas	Solid	Dust	Mist	Aerosol	Powder	Other:
-------------	--------	--------	-----	-------	------	------	---------	--------	--------

Chemical Classifications:

Hazardous to aquatic environment	Irritant	Toxic (Could liberate toxic gas on contact with acids)	Highly/Extremely Toxic	Corrosive to metals	Contains a sensitizer	Absorbs through Skin
Flammable	Highly/extremely flammable	Explosive	Warning	Contains a possible Carcinogen/Mutagen	Biological	No classification

Main Route of Entry

Inhalation	Ingestion	Absorption – splashes onto the skin.	Injection	Other: Splashes to eye
------------	-----------	--------------------------------------	-----------	------------------------

Recent Safety Data Sheet available?

Yes

How is the chemical used or applied?

Dispensed directly from bottle to surface

What other substances are mixed with this chemical?

None DO NOT MIX WITH ACIDS, WILL RELEASE TOXIC GAS (CHLORINE)

How could exposure occur?

Splashes to eyes, contact with skin

Does the substance or any of its constituent parts have a WEL?

NO



Where does exposure take place?

Indoors - well ventilated area	Indoors - poorly ventilated area	Outdoors	Other
--------------------------------	----------------------------------	----------	-------

Who is at risk?

Employees Approx. No	Contractors	Visitors	Others: (Please state) Young people / Pregnant workers
-------------------------	-------------	----------	---

Time exposed per day / week? Once monthly, 15 minutes

Detail of any Personal Protective Equipment currently used: Gloves, safety goggles

Is it possible to eliminate the use of the substance or exposure? No

Is it possible to substitute or use a lower risk substance? No

First Aid measures

Inhalation: In the event of massive inhalation, remove exposed person to fresh air, keep warm and at rest.





Splashes to / contact with eyes: Wash thoroughly with soft clean water, holding eye lids open. If there is any redness, pain or discomfort, consult a doctor.

Contact with skin: Wash with soapy water and remove contaminated clothing. Be aware of remaining product trapped in between skin and jewellery / watches

In event of swallowing: If no more than one mouthful swallowed, Rinse mouth and then drink plenty of water. Do not induce vomiting. If more than one mouthful, Seek medical assistance immediately.

Arrangements for dealing with spillage / emergencies: None

What current controls are in place to reduce the risk of injury? Do not swallow.

Training	Local Exhaust Ventilation	General Ventilation	Induction Training	Warning Signs
Safe Storage	Safe System of work (SOP)	Enclosed area	Health Surveillance	Supervision
		Disposal Hazardous Waste	Disposal General waste	Handwashing facilities
PPE				
Other: (please give details)				

Is exposure adequately controlled?	Yes	No
------------------------------------	-----	----

ASSESSMENT (tick relevant box)	Satisfactory (Low)	Minor modification required (Medium)	Major modification required (High)
--	---------------------------	--------------------------------------	------------------------------------

REMEDIAL ACTION PLAN

Consider the use, storage, disposal, first aid and emergency procedures required.	Target date for implementation	Tick when completed